

BIG TRACK



Introduces the


BOG MASTER



Bogmaster fitted with Ditcher.



Big Track Swamp Tractor fitted with Turfmas




Bogmaster fitted with Big Track Screw Leveller



Tipping Body




of



Bogmaster fitted with 360° Excavator

Big Track

Bogmaster B.M.D.



Photography: Michael Cullen

BIG TRACK LTD.

Specialists in Low Ground Pressure Equipment

BALLYGAWLEY ROAD, DUNGANNON, CO. TYRONE, N. IRELAND

Telephone (08687) 25300 - 26200

Telex 747961

B · I · G TRACK

CONSTRUCTION EQUIPMENT

THE BIG TRACK CONSTRUCTOR is a Hydrostatic Track Machine designed for all aspects of the Construction and Civil Engineering Industry. Comprising of a 12 ton 360° excavator and 8M² Tipping Body, this Multi-Purpose machine can be utilised in a wide range of operations.

THE BIG TRACK CONSTRUCTOR is a one man operated machine, and hence will reduce labour costs as well as capital costs towards a number of various machines to compliment the same scale of production.



THE BIG TRACK CONSTRUCTOR is capable of excavating foundations, pipelines and at the same time removing the material to suitable areas.


Loading, transporting and placing building materials such as blocks, bricks, pipes, sand and other aggregates, quickly and efficiently.

Dozing and levelling materials for Roadways and/or landscaping areas.

The combination of all these facilities makes **THE BIG TRACK CONSTRUCTOR** a highly profitable and worthwhile investment for any contractor.

NEW
CONCEPT FOR
THE
CONSTRUCTION
INDUSTRY





OTHER ATTACHMENTS AVAILABLE:

- Dozer/Leveling Blade
- Block Grab
- Fly Jib
- Clam Shell Grab

BIG TRACK CONSTRUCTOR

Description:

The Big Track Constructor is a multi-purpose workhorse on tracks. The machine also has self loading capability as all machines are fitted with 360° Excavator Loader.

Technical Features:

Engine Power 140 H.P.

Engine:

Ford 2726 Turbo

- Diesel Cycle, 4 stroke, direct injection
- 6 Cylinders in series
- 105mm bore 115mm stroke
- Max. power 140 HP at 2400 R.P.M.
- Max Torque 498 N.M. at 1700 R.P.M.
- Water Cooling
- dry air filter
- oil filter with interchangeable cartridge
- diesel filter with interchangeable cartridge
- cold start with normal starter.

Transmission:

Transmission is hydraulic driven by 2 Sauer variable displacement pumps and Poulain drive units.

Tracks:

- 24" wide pads (other sizes available on request)
- Long life lubricated track rollers
- Lower roller protection
- Hydraulic track tensioners

Cab:

Totally enclosed weather proof cab complete with wipers, cab heater and radio.

Driving Position:

- Adjustable sprung seat
- Rational layout of controls

Self Loading Facility:

360° Excavator fitted as standard complete with drain bucket and grab.

These specifications may be changed without notice

B · I · G TRACK

CONSTRUCTION EQUIPMENT

HEAD OFFICE
GRANVILLE INDUSTRIAL ESTATE,
GRANVILLE ROAD,
DUNGANNON,
CO. TYRONE BT70 1NJ N. IRELAND
TELEPHONE (09667) 25300
TELEX 748080

U.K. OFFICE
WARRINGTON,
CHESHIRE
WA5 1BJ
TELEPHONE: (0925) 32093